Volume 42

1965

Journal of Scientific Instruments

A MONTHLY PUBLICATION DEALING WITH THE PRINCIPLES,
CONSTRUCTION AND USE OF SCIENTIFIC INSTRUMENTS

U. of ILL. LIBRARY
JAN 14 1966
CHICAGO CIRCLE

Produced by The Institute of Physics and The Physical Society
with the co-operation of the National Physical Laboratory

EDITOR: **A. C. STICKLAND,** M.Sc., Ph.D.
Editor and Deputy Secretary of
The Institute of Physics and The Physical Society

The Institute of Physics and The Physical Society
London

THE INSTITUTE OF PHYSICS AND THE PHYSICAL SOCIETY

Officers and Members of the Council, 1965-66

President	Sir Gordon Sutherland, Sc.D., LL.D., F.Inst.P., F.R.S.
Immediate Past President	Sir Alan Wilson, M.A., D.Sc., F.Inst.P., F.R.S.
Vice-Presidents	Professor B. H. Flowers, M.A., D.Sc., F.Inst.P., F.R.S. D. H. Follett, M.A., Ph.D., F.Inst.P. Professor M. R. Gavin, M.B.E., M.A., D.Sc., F.Inst.P. E. G. Stanford, M.Sc., Ph.D., F.Inst.P.
Honorary Secretary	C. G. Wynne, B.A., Ph.D., F.Inst.P.
Honorary Treasurer	J. Taylor, M.B.E., D.Sc., F.Inst.P.
Ordinary Members of Council	N. F. Astbury, M.A., Sc.D., F.Inst.P. A. E. De Barr, B.Sc., F.Inst.P. J. V. Dunworth, C.B.E., M.A., Ph.D., F.Inst.P. J. L. Lewis, M.A., F.Inst.P. W. C. Marshall, B.Sc., Ph.D., F.Inst.P. P. T. Menzies, M.A., F.Inst.P. R. Press, C.B.E., M.Sc., Ph.D., F.Inst.P. Professor J. Rotblat, C.B.E., M.A., D.Sc., F.Inst.P.
Representing Branches	Professor A. W. Merrison, B.Sc., Ph.D., F.Inst.P. J. W. Sharpe, M.A., F.Inst.P.

Permanent Officers

Editor and Deputy Secretary	Miss A. C. Stickland, M.Sc., Ph.D.
Education Officer	Miss P. N. Boston, B.Sc., Grad.Inst.P.
Assistant Editors	Miss H. Carcas, Miss M. A. Charney, B.Sc.
Registrar	R. G. Roberts, B.A.
Meetings Officer	L. L. Lawrence
Administration Officer	N. Walter, B.A.

Journal of Scientific Instruments

Editorial Board

H. V. Beck, M.A. (*Chairman*)
D. G. Avery, B.Sc., Ph.D., A.Inst.P.
A. R. Boothroyd, B.Sc., Ph.D.
J. Dyson, B.A., Sc.D., F.Inst.P.
T. P. Flanagan, M.Sc., A.Inst.P.
T. Mulvey, B.Sc., M.Sc., F.Inst.P.
D. A. Patient, B.Sc., F.Inst.P.
L. A. Sayce, C.B.E., M.Sc., Ph.D., F.Inst.P.
S. Bradbury, D.Phil. (*Ex-officio*): Joint Editor of the *Journal of the Royal Microscopical Society*
Professor B. H. Flowers, M.A., D.Sc., F.Inst.P., F.R.S. (*Ex-officio*): Chairman of Publications Committee

CONTENTS OF VOLUME 42

PAGE

JANUARY 1965

CONFERENCE REPORTS

Conference on Interference and Coherence, Sydney, Australia, August 1964 . . . . . L. R. BAKER 1
Conference on Photographic and Spectroscopic Optics, Tokyo and Kyoto, September 1964 . . L. R. BAKER 3
Conference on Fundamental Problems of Low Pressure Measurements, National Physical Laboratory, September 1964 . . . . . W. STECKELMACHER 7

PAPERS

Possible sources of error in Searle's double pendulum apparatus . . . . . J. D. OWEN and G. RIDING 14
Large-area bolometers of evaporated gold . . . . . W. R. BLEVIN and W. J. BROWN 19
A Fizeau dilatometer for irradiated specimens. . . . . A. A. MCFARLANE 24
An improved combined Toepler pump and gas microvolumetric device . . G. J. THIELENS and L. MALFAIT 28
A Lorentz attachment for the lower chamber of the Hitachi HU-11A electron microscope . . . . . A. GREEN and R. M. LIVESAY 31
Continuous metering pump, with flow range of 1–55 ml. h^{-1}. . . . . .N. PALIBRODA 33
A multiple-thermistor indicator for thermometric analysis . . . . . P. T. PRIESTLEY 35
A method of measurement of the microwave dielectric properties of weakly polar liquids . . . . . E. FATUZZO and P. R. MASON 35

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

A demountable, bakeable, mechanically sealed, vacuum-tight beryllium window . L. C. DEMETSOPOULLOS, A. J. L. COLLINSON and J. M. ZARZYCKI 39
A reliable pneumatically operated polytrafluoroethylene valve . . . . . P. J. T. MELLOR 40
An inverted liquid argon cryostat . . . F. J. WEBB 41
A sensitive suppressed-zero thermometer . . . . . E. E. WHEELER 42
An optical micrometer suitable for use at high speed . . . . . M. C. CAREY and M. R. PIGGOTT 43
Method of mounting silica windows for shock tubes . . G. M. KIMBER, G. T. MAYO, D. H. NAPIER and . . . . . D. H. SMITH 44
Simple method of pressurizing small systems with pure helium . . . . . B. F. FIGGINS 46
A simple injection port and column holder for use in gas chromatography. . A. J. ARNOLD and K. A. LORD 47
An improved method of evaluating thermal data from a Smith calorimeter . . . . . J. S. WHITE 48
Isolation trap for adsorption studies on evaporated films . . . . . J. R. SAMS 49
An a.c. overload voltage indicator . . . D. T. SMITH 50
A method of applying ohmic contacts to cadmium sulphide crystals for Hall measurements . . . . . L. CLARK and J. WOODS 51
Measuring displacements at temperatures up to 650 °C . . . . . B. J. DARLASTON 52
A method of scribing cams for programme temperature controllers . . C. J. LANCUCKI and W. F. COLE 54
On the preparation of materials for thermoelectric coolers W. N. BORLE, R. K. PUROHIT and A. K. SREEDHAR 55

Information: Conferences, lectures and exhibitions . . . 30
New publications 30

FEBRUARY 1965

CONFERENCE REPORTS

First Colloquium on Electron Probe X-ray Microanalysis, Delft, September 1964 . . . . . T. MULVEY 57
International Symposium on Microelectronics, Munich, October 1964 . . . . . C. J. DAVISON 61

PAPERS

A review of low pressure measurement from an industrial viewpoint . . . . . W. STECKELMACHER 63
A wide range constant-resistance Pirani gauge with ambient temperature compensation . . . . . J. ENGLISH, B. FLETCHER and W. STECKELMACHER 77
High resolution scanning electron microscopy . . . . . .R. F. W. PEASE and W. C. NIXON 81
A fine focus, high intensity, medium energy X-ray source . . . . . K. GUGAN 86
An improved thermometric method of measuring local power dissipation . . D. A. BALL and H. O. LORCH 90
A two-metre grazing-incidence spectrometer for use in the range 5–950 Å . . . . . A. H. GABRIEL, J. R. SWAIN and W. A. WALLER 94
The analysis of the magnetic field variation in a magnet with a stepped gap . . . . . J. WATKINS 98
A radial shear interferometer for testing microscope objectives . . . . . W. H. STEEL 102
A rotating sphere, absolute vacuum gauge . . . . . P. J. HARBOUR and R. G. LORD 105
An inexpensive recording vacuum balance . . . . . D. H. FINE and L. GLASSER 109
A technique for the determination of temperatures of onset of martensitic transformation . . . . . C. E. SILVERSTONE and J. C. TERRY 111
The preparation of calcium tungstate crystals by a modified floating zone recrystallization technique D. B. GASSON 114
The use of a high intensity-range photographic film for recording extended diffraction patterns and for spectrographic work . . . . . R. L. BRYANT, G. J. TROUP and R. G. TURNER 116
A simple X-band frequency-stabilizing system . C. TOKER 118

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

A method for making very accurate line patterns for photographic reproduction . . . . . U. PICK 120
An all-metal gas pipette for use in mass spectrometry . . . . . D. HEYMANN and E. KEUR 121
A compact pulse generator for driving gallium arsenide lasers at room temperature . . . . R. F. BROOM 123
A new fast quenching circuit for self-quenched Geiger–Müller counters . K. W. ETTINGER and A. ZASTAWNY 125
An electrometer amplifier for scanning spectrometers . . . . . J. H. BRANDY 126

PAGE

Measurement of the numerical apertures of high-power microscope objectives . . . . . P. S. HEWLETT 127
Inexpensive thermally operated valve for automatic liquid nitrogen refill systems . . . . . R. S. SIGMOND 128
A preset goniometer-type specimen holder for Philips EM-200 electron microscope . . . . . J. T. FOURIE and F. J. VAN DEN BOOM 129

LETTERS TO THE EDITOR

A laboratory demonstration fuel cell . . R. M. LURIE 131

Information: Conferences, lectures and exhibitions 104, 131
New publications 108

MARCH 1965

CONFERENCE REPORTS

Symposium on Superconducting Computer Devices, London, December 1964 . . . . . P. R. STUART 133

PAPERS

A piezoelectric vacuum vibrator as a source of ions in a mass spectrometer . R. J. CONZEMIUS and H. J. SVEC 136
A phototransistor transducer for tidal gravity recording with a Heiland gravity meter . . . W. M. BURCH 140
Vacuum evaporation rate control by use of constant source current . . H. H. A. BATH and W. STECKELMACHER 144
A transistorized method for the response measurement of a magnetic probe . . . . . F. YENIÇAY, S. SINMAN, A. SINMAN and S. GÖKGÖR 147
A robust torsion balance which can detect a force of 2×10^{-8} dyn . S. PEARSON and N. J. WADSWORTH 150
A linear ratemeter for crystal pulling . . B. A. EVANS 153
A constant gap moiré fringe reading head . . P. J. SIM 156
The determination of the area of emission of reflected electrons in a scanning electron microscope . . . . . R. F. W. PEASE 158

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

A simple manometer for measuring pressures in the range 1–400 μmHg. . . . . J. M. VAN WYK 160
A simple method for making spherical tungsten cathodes of various sizes . . . . . Z. POPOVIC 161
Viewing sample fracture in the Ferranti–Shirley viscometer . . . . . J. S. STEGGLES 162
A simple mean conductivity meter . . . T. R. FIETZ 163
Drying apparatus for infra-red spectrophotometer cells . . . . . K. C. BASS 164
A mechanical analogue of a magnetic film with uniaxial anisotropy . . . . . M. WILLIAMS 165
Determination of melting points by the detection of changes in light transmission . . . . . G. R. BLACKWELL and R. E. BUSBY 167
A sensitive exposure meter using a vacuum photocell . . . . . R. H. S. RIORDAN 168
A pulse-lengthening circuit . . . . R. N. THOMAS 169

PAGE

A simple method of preparing silicon–iron surfaces for domain examination . . . . . G. J. WILLIAMS 170
Computer indexing of x-ray powder diffraction patterns . W. D. HOFF, W. WALLACE and W. J. KITCHINGMAN 171
A microscope stage sample compressor. . A. D. FOSTER 172
Temperature measurement in rotating-cylinder viscometers . . . . . J. N. MEHRISHI and J. W. LORIMER 173

LETTERS TO THE EDITOR

Photoelectric timer for the bubble meter method of gas flow measurement . . . . . J. J. HUNTER 175

Book reviews 176
New instruments, materials and tools 178
Information: Conferences, lectures and exhibitions . . 143, 179
New publications 149, 155

Corrigendum: Possible sources of error in Searle's double pendulum apparatus . . . . . J. D. OWEN and G. RIDING 174

APRIL 1965

CONFERENCE REPORTS

Conference on Optics and in Process Control, Manchester, January 1965 . . . . . J. E. GEAKE 181

PAPERS

An aneroid semi-micro reaction calorimeter . . . . . M. A. FRISCH and H. MACKLE 186
Liquid metal solution calorimeter . . . . . S. KRAVITZ and J. S. LL. LEACH 192
A self-balancing and recording a.c. bridge for a Beeck-type adsorption calorimeter . . . . . L. HLÁDEK 198
A new method for the computation of temperature in platinum resistance thermometry . . . . . J. L. HALES and E. F. G. HERINGTON 203
The measurement of thermoelectric properties at high temperatures. . . . . L. S. PHILLIPS 209
A high temperature attachment for an x-ray diffractometer for precision lattice parameter measurements . . . . . A. J. CORNISH and J. BURKE 212
Unsymmetrical and symmetrical χ–ϕ assemblies on a four-circle x-ray diffractometer . . . . W. A. WOOSTER 219
An automatic integrating microdensitometer . . . . J. DRENTH, D. KLOOSTERMAN, J. VAN DER WOUDE, ... H. C. CROON and L. C. M. VAN ZWET 222
A microwave interferometer for the measurement of small phase angles . . . . . E. HOTSTON and M. SEIDL 225
A design for a 6 in. field Mach–Zehnder interferometer . . . . . R. K. M. JOHNSTONE and W. SMITH 231
Distortion of line shapes in Stark modulated microwave spectrometers . . . . . H. J. TOBLER, A. BAUDER and Hs. H. GÜNTHARD 236
Electrical and mechanical properties of an improved microwave Stark cell . . . . . H. J. TOBLER, H. U. WENGER, A. BAUDER and Hs. H. GÜNTHARD 240
The spectral response of radiation thermopiles . . . . . D. B. BETTS 243
Neutron dosimetry using gold and sulphur: the calibration of a Geiger–Muller counter . . . . . S. J. BOOT and J. A. DENNIS 248

PAGE

The tandel: a new element for measuring thermal conductivity, pressure and velocity of gases . J. A. VEPREK 252
The measurement of the Hall coefficient of liquid conductors . . . . . N. E. CUSACK, . . J. E. ENDERBY, P. W. KENDALL and Y. TIÈCHE 256
Stagnation point heat flow meter . . . . . R. A. COOKSON, P. G. DUNHAM and J. K. KILHAM 260
An hydraulic iterative device for one-dimensional heat flow studies . . . . . D. W. STOPS 263
A digital method of measurement of amplitude and phase at low frequencies . . . . . A. DE SA 265
A liquid helium cooled goniometer stage for an electron microscope . . . U. VALDRÈ and M. J. GORINGE 268
Method for producing large Si films for preselected imperfection analysis . . . . . J. E. LAWRENCE and H. KOEHLER 270
Apparatus for low-frequency sinusoidal fatigue testing in tension . . . . . G. VIDAL and J. POULIGNIER 273
A photoelastic method of detecting microcracking in concrete . . . . . V. NAVARATNARAJAH 276
1 Gc/s bandwidth shunts for measurements of current transients in the 10 A–10 kA range . . L. HÖGBERG 278

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

A roll-film holder for an electron diffraction camera . . . . . C. GONZÁLEZ and E. GRÜNBAUM 280
A method for the removal of unwanted deposits from the interiors of vacuum coating units . . . . . D. S. ALLAM and P. R. STUART 281
The laser as a light source for the Mach–Zehnder interferometer . . . . . R. A. JACKSON 282

PAGE

On the four-probe method of resistivity measurements . . . . . D. W. F. JAMES and R. G. JONES 283
A device for the study of vacuum arc initiation . . . . . J. T. MASKREY and R. A. DUGDALE 284
Preparation of unbacked thin films . . . . . D. CONLON and W. P. DOYLE 286
Note on the use of helical springs as valves in fluid operated control and measuring devices . N. A. DE BRUYNE 287
Oil manometer for the range 0–100 torr . . . . . J. V. MCALLAN 290
A simple cryostat for laboratory use . . . . . H. A. WATERMAN, S. S. LANTING and A. OSKAMP 291
A polypropylene variable temperature insert for an AEI R.S.2 high resolution nuclear magnetic resonance spectrometer . . . . . D. J. BLEARS, R. F. WARREN and G. ALLEN 292
Transistor sweep circuit for a superconducting solenoid . . . . . J. A. HULBERT and G. R. WILSON 293
A coordinate recorder with a linear x axis and a fivefold logarithmic y axis for the direct recording of log current density–potential curves . . . . . H. G. FELLER 294
A pressure-regulating device for column chromatography . . . . . M. C. CORFIELD 296

LETTERS TO THE EDITOR

Quantitative diffractometric analysis of x-ray transparent specimens . . . . . R. BERGIN 298
Measurement of fringe displacement in a gauge interferometer . . . . . M. J. PUTTOCK 298

New instruments, materials and tools 300
Information: Conferences, lectures and exhibitions . 202, 242, 301
New publications 272, 302
Miscellaneous 224

MAY 1965

PAGE

PAPERS

Scanning electron diffraction with energy analysis . . . . . P. N. DENBIGH and C. W. B. GRIGSON 305
The use of toroidal reflecting surfaces in x-ray diffraction cameras . . . . . A. ELLIOTT 312
The effects on flow time of tilting an Ostwald viscometer . . . . . N. H. LANGTON and P. VAUGHAN 317
A torque magnetometer for a wide range of temperatures . . . . . R. R. BIRSS and P. M. WALLIS 322
A variable temperature infra-red gas cell using semiconductor heat pumps . . . . . J. H. ASHBY, D. PRICE and H. SUTCLIFFE 326
Improvements to a Sucksmith ring balance . . . . . A. R. PEPPER and J. H. SMITH 328
An improved form of pressure balance for use at relatively low pressure . . R. S. DADSON and R. G. P. GREIG 331
Tunable optical filters with narrow bandwidths . . . . . J. V. RAMSAY and K. TANAKA 334
A novel form of x-ray diffraction microbeam camera . . . . . M. ORON and I. MINKOFF 337
A modified recording technique for improvement of detection limits in spark-source mass spectrography . . . . . H. MAI 339

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

A simple magnetic field calibration system . . . . . G. LANCASTER and A. G. SMALLMAN 341
Single crystal silicone carbide thermistors for low pressure measurements . . . . . H. H. H. GREEN 342
A bakeable bellows-type null-reading differential manometer . R. HACKAM, W. E. AUSTIN and R. D. THOMAS 344
A graphical method of integration . . . J. M. MARKS 345
Statistical aids to plasma probe measurements . . . . . W. M. MUDFORD and K. M. BURROWS 346
A versatile and reliable cryoscopic level detector . . . . . A. COOPER 347
Low speed anemometer M. R. HEAD and N. B. SURREY 349
A high speed automatic micrometer syringe . . . . . A. J. ARNOLD 350
A simple, continuous level indication for cryogenic liquids . . . . . T. ASHWORTH 351
Extension of the grating range of the SP100 spectrometer . . . . . J. F. OGILVIE 352
A jacketed cell for the Bendix NPL polarimeter . . . . . L. K. DALTON 353
A twin-jet technique for thinning metals for transmission electron microscopy . J. A. HUGO and V. A. PHILIPS 354
An automatic digital curve reader . . . . . D. H. NORRIE, I. WALL and A. E. R. WOOD 356
Sampling oscilloscope as a coherent wide-band detector . . . . . P. BLETZINGER, A. GARSCADDEN, I. ALEXEFF and W. D. JONES 358
A film balance for use with Langmuir trough . . . . . B. R. MALCOLM and S. R. DAVIES 359
Single crystal pulling without temperature programming . . . . . J. J. BARLIČ 361

LETTERS TO THE EDITOR

A precision thermostat using circulating liquids . . . . . J. CHANU and L. MOUSSELIN 363

The Craftsmanship Competition 1965: List of prizewinners . 364
Book reviews 365
Information: Conferences, lectures and exhibitions . . . 330
New publications 321, 330

JUNE 1965

PAGE

PAPERS

Pressure measurements in the 0·01–30 torr range with an inclined-piston gauge D. R. DOUSLIN and A. OSBORN 369
Choice of materials for use in compressible-gasket high-pressure apparatus . . . . . J. H. KING 374
Bursting of diaphragms as related to the operation of shock tubes . . . . . G. A. CAMPBELL, G. M. KIMBER and D. H. NAPIER 381
An infra-red reflectometer with a spheroidal mirror . . . . . W. R. BLEVIN and W. J. BROWN 385
Servo-amplifiers for ion current measurement in mass spectrometry . . . . . J. S. STACEY, R. D. RUSSELL and F. KOLLAR 390
A 300 Mc/s electron spin resonance spectrometer . . . . . W. DUNCAN and E. E. SCHNEIDER 395
A transistor amplifier for registration of the low current part of a Langmuir probe characteristic . . . . . P. J. VAN DEENEN, T. MATITTI and A. VERMEER 399
An auxiliary device for recording data obtained with a manually operated ultra-violet spectrophotometer . . . . . B. C. CARON and R. F. REKKER 403
Flowmetering by a motion-induced magnetic field . . . . . M. D. COWLEY 406
Apparatus for quasi-static and dynamic measurements on magnetic films . . . D. J. CRAIK and M. J. WOOD 410
A portable sensitive anemometer with proportional d.c. output and a matching wind velocity-component resolver . . . . . J. I. P. JONES 414
Systematic errors in spectroscopy due to atmospheric absorption . . A. R. GOODWIN and F. A. JOHNSON 418
A simple helium-3 cryostat for specific heat measurements between 0·4 and 4·2°K . . . . . R. G. SCURLOCK and E. M. WRAY 421
An aeration meter for lubricating oils . . G. T. WABY 425
Modified construction of Jenkin's airflow planimeter . . . . . R. D. BELL and R. S. SMITH 428

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

Amplifier and pulse-counter for fast, low level photometry . . . . . J. R. V. GROVES 430
Resistivity measuring circuit using chopped direct current . . . . . W. D. EDWARDS 432
An amplifier for use with a selenium photovoltaic cell and digital voltmeter . . . . . R. G. BERRY 434
Preparation of disk foils for transmission electron microscopy . . . K. R. CARSON and W. J. MCG. TEGART 435
The use of a gas laser in studying the wavefront from an echelle grating at large angles of incidence . . . . . G. H. C. FREEMAN 437
A sensitive liquid nitrogen level detector suitable for use in a cryostat . . . . . M. R. HARRIS 438
Photoelectric mercury level sensing device . M. R. HARRIS 439
Simple linear pulse height averager and recorder adaptor circuit for use with the Tektronix type N sampling oscilloscope . . . . . R. S. SIGMOND 440
Automatic frequency control for the X-band reflex klystron of an electron spin resonance spectrometer . . . . . T. KESTER 442
A synchronous slave device for timing random events . . . . . G. G. BENNETT 443
A small gas circulation pump . . . . D. V. LAND 444

LETTERS TO THE EDITOR

Use of flow-inducer pumps in deaerated systems . . . . . D. C. MEARS and G. P. ROTHWELL 446

Book reviews 447
Information: Conferences, lectures and exhibitions . 389, 402, 420
New publications 420

PAGE

JULY 1965

PAPERS

Automatic control of a twin-T bridge used for nuclear magnetic resonance measurements . . . . . M. MEHRING and O. KANERT 449
Performance of a Bennett radio-frequency mass spectrometer . . . . . K. R. RYAN and J. H. GREEN 455
Kinetic energy of fragment ions using a radio-frequency mass spectrometer . . K. R. RYAN and J. H. GREEN 461
The accurate determination of the Hall coefficient of a metal . . . . . C. M. HURD 465
Low-noise observation of consecutive processes . . . . . G. CZERLINSKI and W. NADLER 470
An improved phase-sensitive detector . . P. WILLIAMS 474
Monochromatic photography in the extreme ultra-violet. . . . . W. M. BURTON 477
Modification of a Philips PW 1540 x-ray spectrometer for non-dispersive analysis . . . . . R. JENKINS 480
An instrument for preparing for orienting single crystals for x-ray diffraction . A. KÁLMÁN and GY. ARGAY 483
A versatile gas analysis apparatus incorporating a small mass spectrometer . . . . . D. HAZELBY 486
A magnetic velocity selector for hydrogen atom beams using an unfolding technique . . M. A. D. FLUENDY 489
An omegatron with linear orbit drift giving improved resolution without loss of sensitivity . . . . . B. W. PETLEY and K. MORRIS 492
A high-sensitivity, pneumatic, thickness-measuring device for soft-metal strip . . . P. J. SIM and R. J. TAYLOR 495
A transducer for the study of wake geometry . . . . . V. J. MODI and W. HEINE 497

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

Mirror mounts for experimental optical masers . . . . . L. J. COLLINS and J. SMITH 499
A new graticule for particle counting and sizing . . . . . K. R. MAY 500
Absorption of water vapour by epoxy resin cement . . . . . R. F. S. TYSON 501
A simple low temperature attachment for the Norelco x-ray diffractometer . . . . . R. GHISLAIN, L. DELÉHOUZÉE and A. DERUYTTERE 502
The removal of burrs from pressure tappings . . . . . A. A. BAKER and H. A. MEAD 503
Double-crystal x-ray monochromator . . V. METCHNIK 504
An 80 Mc/s electron spin resonance spectrometer for aqueous samples . . M. KENT and J. R. MALLARD 505
A sealed switch . . . . . R. A. STONG 506
A contact pyrometer for the measurement of specimen temperatures on a thermobalance. . . D. R. TERREY 507

LETTERS TO THE EDITOR

A photoelastic method of detecting microcracking in concrete . . . . . V. NAVARATNARAJAH 509

Book reviews 510
Information: Conferences, lectures and exhibitions . . 485, 511
New publications 476, 485, 511
Miscellaneous 476, 509

AUGUST 1965

THE PHYSICS EXHIBITION 513–562

See page 513 for Contents

PAPERS

Statistical considerations in the design of balanced x-ray filters . . . . . E. G. BOONSTRA 563
Coaxial cylinder viscometer for use under oscillatory and transient conditions. . . . . E. W. BILLINGTON 569
A calorimeter for graphite dose rate in advanced gas-cooled reactors . . . . . M. J. TODD, J. BISHOP and D. K. CARTWRIGHT 576
Electrostatic deflection of tensioned grid wires. . . . . T. HARRETT 584
The measurement of flexural rigidity of thin polymeric films . . . . . D. H. MORTON and A. MARKS 591
Photomultiplier linearity . . . . . H. J. LUSH 597
Measurement of the decay of fluorescence . . . . . W. S. METCALF, D. F. S. NATUSCH, S. G. PAGE, E. D. SHIPLEY and P. M. WIGGINS 603
Slope measurement by means of moiré fringes . . . . . P. S. THEOCARIS and A. KOUTSABESSIS 607
A linear temperature-to-frequency converter . . . . . L. LÖVBORG 611
An integrator for multichannel potentiometric recorders . . . . . J. P. FUNK and D. G. DOWE 615
A direct reading, attracted-disk, absolute voltmeter . . T. E. BROADBENT, R. COOPER and C. T. ELLIOTT 618
A system for accurate counting of short-lived activities by repetitive activation. . . . . A. J. NICOLITSAS, N. G. CHRYSOCHOIDES, N. KOUVARAS and C. C. ZIKIDES 621
Polar vapour detector based on thermal modulation of contact potential . A. DRAVNIEKS AND P. J. TROTTER 624
A recording rotational viscometer in glass-laden Teflon . . . . . J. JAFFE and J. M. RUYSSCHAERT 628
A new strainfree method for cutting metal and ionic single crystals . . U. BONSE, E. TE KAAT and E. KAPPLER 631
Production of uniform-sized liquid droplets . . . . . N. R. LINDBLAD and J. M. SCHNEIDER 635
A universal apparatus for measuring the gas content of liquids and semi-liquids . . . . . A. T. J. HAYWARD and J. T. DALLAS 639
A mercury-piston gas compressor for use at high pressures . . . . . K. E. BETT and R. G. REYNOLDS 642
An all-metal field ion microscope . . . . . H. F. RYAN and J. SUITER 645
A single-klystron superheterodyne receiver for use at millimetric wavelengths . . . . . G. BROWN, D. R. MASON and J. S. THORP 648
An automatic programmed controller for sequential laboratory operations . . R. F. COLE, R. DICKINSON, L. GUCZI, D. HILL and H. J. V. TYRRELL 650
A high field nuclear magnetic resonance probe using transistors . . . . . F. N. H. ROBINSON 653

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

Hybrid electrometer voltmeter . . F. J. GOLDWATER 655
A cold tip velocity meter . . . . . G. S. HARRIS 657
X-ray diffraction photographs of oriented single crystals at temperatures up to 1800°C. . . H. O. A. MEYER 658
A simple current switching device . . . . . M. BEARDSHALL and C. RAINE 659
A triggered vacuum spark-gap switch . . . . . L. TH. M. ORNSTEIN, C. A. J. HUGENHOLTZ and H. A. VAN DER LAAN 659
A simple laboratory centrifugal glass circulation pump and gas saturator for liquids . . . . . G. L. PETRICONI, A. C. MONTEFINALE and H. M. PAPÉE 662
A power supply for a molybdenum element furnace . . . . . W. W. MARSHALL 663
A simple recording nephelometer for studies of bacterial growth . . . W. W. FORREST and V. A. STEPHEN 664
A freezing point cell for volatile solutions . . . . . D. N. GLEW and N. S. RATH 665

Information: Conferences, lectures and exhibitions . . 602, 667
New publications 602

PAGE

SEPTEMBER 1965

PAPERS

Conversion of a Varian 40 Mc/s high resolution nuclear magnetic resonance spectrometer to 80 Mc/s operation . . . . . S. A. KNIGHT and R. L. ERSKINE 669
Apparatus for nuclear–electron double resonance at 3300 gauss with moderately high resolution . . . . . J. G. KENWORTHY and R. E. RICHARDS 675
A compact, null-reading, tilting U-tube micromanometer with a rigid liquid container . . . . P. BRADSHAW 677
An estimate of the distribution of electrons striking the specimen in a Philips EM200 electron microscope . . . . . J. LING 681
On the use of a four-circle x-ray diffractometer . . . . . W. A. WOOSTER 685
The high-precision isotopic analysis of oxygen and carbon in carbon dioxide . . . . . N. J. SHACKLETON 689
Apparatus for electrochemical determinations of hydrogen in inert gas mixtures . . . . . G. BIANCHI, G. FAITA and T. MUSSINI 693
Modified Sawyer and Tower circuit for the investigation of ferroelectric samples . . . . . J. K. SINHA 696
Wavelength-independent, direct-reading radiometer . . . . . R. W. TREHARNE and H. W. TROLANDER 699
Method for thermal conductivity measurements on solids . . . . . G. HAACKE and D. P. SPITZER 702
A liquid-air cryostat for tensile testing . . B. RUSSELL 705
Semi-automatic apparatus for the study of temperature-dependent phase separations . . . . K. J. CHIVERS 708

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

A high temperature (3000°c) graphite furnace for laboratory use . . H. MARSH and W. F. K. WYNNE-JONES 710
An improved method for suspending particles in Coulter counter analyses. . . . . H. R. YARDE 711
A novel design of mould for single crystal growth . . . . . T. HINTON 712
A lapping device for the preparation of thin samples of highly brittle materials . . . . . A. BECK 713
Modified stepped-piston device for ultra-high pressures . . R. S. BRADLEY, D. C. MUNRO and M. WHITFIELD 714
A tilted specimen holder for electron microscopy and diffraction . . . . . A. L. MACKAY 716
A simple inexpensive liquid nitrogen level controller for cold traps . . J. R. WOODYARD and C. B. COOPER 717
The casting of a low exotherm epoxy resin. . B. KENNY 719
A simple fraction collector . . . . . A. C. K. TRIFFETT and K. L. NUSKE 721
A long-life aluminium evaporation source . . . . . P. A. B. TOOMBS and A. J. JEAL 722
An electro-pneumatic microelectrode puller . . . . . A. J. ARNOLD 723
A pumpable vacuum valve for sealed-off metal cryostats. . . . . R. RODGERS 724
Constant stress and strain rate modifications to tensile machines. . . . . E. C. SYKES 725
A recording optical extensometer . . A. A. MEINTJES 727

LETTERS TO THE EDITOR

The modulation of light at extreme frequencies . . . . . R. H. KEITH: O. C. JONES 729

Book reviews 730
Information: Conferences, lectures and exhibitions . . . 731
New publications 709

PAGE

OCTOBER 1965

PAPERS

A meteorological rocket sonde . . . . D. D. CLARK 733
Some observations in the measurement of partial pressure with an omegatron . . . . . J. D. BUCKINGHAM, P. THORNE and H. WINGATE 737
Measurement of conductance and dielectric constant of liquids by a.c. methods. . . . . W. S. METCALF 742
A multi-tube manometer for the measurement of small differences in pressure . . . . . B. R. CLAYTON 744
The accurate measurement of the spectral transmission of optical glass . . . . . D. W. HARPER 746

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

Temperature control between −190 and +500°c . . . . . S. GALARNEAU and G. W. GREEN 749
A simple photoelectric viscometer . . . B. J. STEEL 751
Improved method for the production of thin self-supporting carbon foils . . . . . M. NOBES 753
A simple method for preparing x-ray filters of strontium metal . . G. BECHERER, G. HERMS and V. MOTZFELD 754
Spherically shaped grids for a low energy electron diffraction system . . . . . C. J. TODD 755
A high temperature modification of the Unicam S.P. 500 spectrometer. . D. N. HENTY and D. H. KERRIDGE 756
A low temperature laser demodulator diode mount for high frequency operation . . . . . P. J. W. NOBLE 757
High resolution displacement or pressure recording . . . . . G. F. BYRNE 759
Torsion balance sample holder for magnetic anisotropy measurements . . . . . M. KONWICKI 760
An improved grinding and polishing apparatus for ferrimagnetic spheres . . . . . Y. W. LAM 761
An apparatus for measurement of mechanical hysteresis and stress relaxation in adsorbed surface films . . . . . L. K. JAMES, JR. 762
A comprehensive safety shutter and collimator coupling for the Philips x-ray tube shield PW 1016 . . . . . V. A. HALLEWELL, R. J. MURPHY, P. J. PAULING and G. B. ROBERTSON 763
A superconducting magnet using double Helmholtz coils . . . . . E. MÄNTYSALO and R. LAIHO 766
A goniometer specimen holder and anticontamination stage for the Siemens Elmiskop I . . . P. R. WARD 767
Double integration of electron spin resonance spectra . . . . . S. J. WYARD 769
A simple programmer for slow cooling . E. VAN OUTRYVE 770

LETTERS TO THE EDITOR

Pressure generation in the tetrahedral anvil apparatus . . . . . J. LEES 771
A simple device for the measurement of fibre friction . . D. P. GOVERDHAN RAO and N. RAMANATHAN 771
The use of a plastic scintillator as an airborne gamma radiation detector . . . . . J. C. DUGGELBY 772
The McLeod manometer . . . . G. R. NICHOLSON 773

Book reviews 774
Information: Conferences, lectures and exhibitions . . 741, 775
New publications 741

Corrigendum: A calorimeter for graphite dose rate in advanced gas-cooled reactors . . . . . M. J. TODD, J. BISHOP and D. K. CARTWRIGHT 773

NOVEMBER 1965

PAGE

PAPERS

Automatic scanning of Spanner and droplet psychrometers having outputs up to 30 μv . . . . . A. R. G. LANG and E. S. TRICKETT 777

The use of a continuous slow injector for the production of calibration vapour mixtures in the parts per million by volume range . . . D. W. HILL and H. A. NEWELL 783

Some design criteria for proportional temperature control systems . . . . . A. C. STANBURY 787

Miniature thin film thermometers with rapid response . . . . . M. G. COOPER and A. J. P. LLOYD 791

A new boiler for flow calorimetric experiments . . . . . C. J. WORMALD 794

A fibre flowmeter suitable for very low flow rates. . . . . R. T. GRIFFITHS and A. A. NICOL 797

A spherical ionization cum vacuum chamber . . . . . T. E. BURLIN and S. R. HUSAIN 800

Electron bombardment ion source for isotopic analysis of solids . . . . . A. C. TYRRELL, J. W. ROBERTS and R. G. RIDLEY 806

A photograph method of determining the size, shape and orientation of the unit cell of an unknown spherical crystal . . . . . W. A. WOOSTER 808

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

Direct reading low speed anemometer . . . . . M. R. HEAD and R. R. THORP 811

A revolving multiple electron gun for use in the deposition of thin polymer films . D. S. ALLAM and P. R. STUART 812

Computer calculation of the strain dependence of internal friction of metals P. PEGUIN, J. PEREZ and P. GOBIN 814

A technique for stripping small diameter, metal sheathed thermocouple wire . . . . . R. CHEESEWRIGHT 815

An adjustable atomizer for atomic absorption spectroscopy . . . D. A. DAVIES, R. VENN and J. B. WILLIS 816

An x-ray fluorescence slurry presenter which is insensitive to solids concentration . . . . . K. G. CARR-BRION and D. A. JENKINSON 817

A large capacity circulation pump for systems above atmospheric pressure . . . . . A. M. WATSON 818

A simple apparatus for measurement of adsorption of gases from low to high pressures . . . . . K. A. KINI and P. L. WALKER JR. 821

A linear proportional temperature controller . . . . . A. C. STANBURY 822

Possible immunities in interferometer end mirrors . . . . . J. DYSON 823

The production of uniform slits by electro-erosion of razor blades . . . . . F. J. BONTOFT 825

A crystal orienting device . . . . J. C. COPPOLA 826

Information: Conferences, lectures and exhibitions . . . 827

New publications 782, 810

Miscellaneous 810

DECEMBER 1965

PAGE

PAPERS

An interferometer designed for the detection of small shifts in wavelength of spectral lines emitted by plasmas, and for measuring the ratio of such shifts to the line width . . . . . D. D. BURGESS and J. COOPER 829

Some laser interferometers for use in fluid mechanics . . . . . L. H. TANNER 834

Response time distortion of output data from linear ratemeters . . . K. K. WATSON and D. H. PILGRIM 838

Analytical and experimental determination of nonlinear ratemeter response . D. H. PILGRIM and K. K. WATSON 842

A high performance Raman spectrophotometer . . . . . A. R. GEE 849

A double-tilting heating stage for an electron microscope . . . . . U. VALDRÈ 853

A triggered cloud chamber for the investigation of low energy nuclear reactions induced by charged particles . . . . . A. M. MACLEOD and J. M. REID 856

The design and application of lithium drift silicon diodes as nuclear radiation detectors . . . . . P. E. GIBBONS and N. G. BLAMIRES 862

Self-locking nuclear resonance magnetic field strength meter for 11–65 Mc/s . . . . . H. R. OPPLIGER, P. SCHMID and Hs. H. GÜNTHARD 865

A precision conductance apparatus for studying fast ionic reactions in solution . . . . . P. A. TREGLOAN and G. S. LAURENCE 869

Measurement of contact potential by electrostatic excitation of low frequency vibrations . . . . . Y. L. YOUSEF, A. MISHRIKI, S. AZIZ and H. MIKHAIL 873

On a new axial flow molecular pump . . . Y. WU 876

Rotor unit for measuring flow birefringence over a wide range of temperatures . . . . . H. JANESCHITZ-KRIEGL and R. NAUTA 880

A syringe crystal puller for materials having a volatile component . . . . . E. M. N. BALDWIN, J. C. BRICE and E. J. MILLETT 883

A new technique for the study of ferromagnetic domain boundaries . . . . . R. I. HUTCHINSON, P. A. LAVIN and J. R. MOON 885

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

Universal motion specimen manipulator for use with an ultra high vacuum system . . . . . B. E. DICKER 887

Simple coulometer for studying protonic conduction in crystals . . . . . V. H. SCHMIDT 889

Stirring rate effects on Coulter counting . . . . . H. R. BUNGAY and R. D. KREBS 891

An instrument for measuring the index of d.c. magnetic fields . . . . . L. ŠÍPEK 892

Cryopump system for laboratory evaporator . . . . . E. J. BOLTON 894

A method of printing grids on to metal surfaces for deformation studies. R. L. BELL and T. G. LANGDON 896

PAGE

'Turned edge' fringes in the Twyman–Green interferometer due to focusing errors . B. M. WATRASIEWICZ 897
A simple airlock and specimen stage for demountable electron optical systems . . . . A. STROJNIK 898
A method for measuring current density in charged particle beams . . . . . P. P. STARLING 899
A simple method of inert gas purification . . . . . F. MAAK and C. M. SELLARS 900
An electrical method for breaking shock tube diaphragms . J. N. BRADLEY, R. N. BUTLIN and J. G. QUINN 901
A recording sky scanner for the brightness distribution of sky . . . . . S. R. DAS and V. D. P. SASTRI 903
A temperature regulating system for use with an electron spin resonance spectrometer . . . . .J. FENGER 904
Counting of tritium with a thin windowed Geiger–Müller counter tube . T. SEIMIYA, K. SEKINE and T. SASAKI 906
Calculators for use in Hall measurements . S. J. LOWE 908

PAGE

An oven thermostat with phototransistors . . . . . B. V. ASHMEAD, J. BOASE and J. H. THOMAS 909
Series comparative measurements of thermal conductivity . . . . . G. MORRIS and W. G. DELINGER 910
An improved method for the production of optically flat surfaces . . . . . G. OTTE 911

LETTERS TO THE EDITOR

30 kG, 8½ in. bore superconducting coil . D. N. CORNISH 913
Book reviews 915
Information 852
Corrigendum: Photomultiplier linearity . . .H. J. LUSH 912
SUBJECT INDEX TO VOLUME 42 917
AUTHOR INDEX TO VOLUME 42 925
BOOK REVIEW INDEX TO VOLUME 42 934